

Platform, Main Line & Sidetrack

Interface®

Platform™, Main Line™ & Sidetrack™

Platform is the essential solution you've relied upon for years; a timeless texture that has traveled from swanky uptown to hipster downtown and every stop in between. It's the simplicity of the pattern and the palette that makes Platform so accessible.

Now joined by Main Line and Sidetrack, this collection of three styles has a broader reach. Keeping the fundamentals of Platform intact, Sidetrack introduces three distinctly placed accent threads while Main Line blends those same accents throughout the otherwise neutral yarns.

With a shared palette and common construction, Platform, Main Line and Sidetrack are linked together like cars on a train - three different vehicles moving in the same direction.






PRODUCT PLATFORM COLOR 9840 BATTLESHIP INSTALLED BRICK



PRODUCT MAIN LINE COLO



R 104249 BATTLESHIP/LINE INSTALLED BRICK



PRODUCT SIDETRACK COLOR 104261 BATTLESHIP/TRACK INSTALLED BRICK



Platform™ Colorline




9336 STRATOSPHERE



9337 DENIM



9338 STEEL



9339 NUBIAN



9340 BATTLESHIP



9341 STERLING



9331 HAZEL



9332 SOAPSTONE



9335 PEARL GRAY



9325 CHESTNUT



9328 AZTEC



9329 CORNSILK

Specifications

Modular, 50 cm x 50 cm	1467202500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.126 in., 3.2 mm
Pile Density	4,000
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK QUARTZTEMPUR

Main Line™ Colorline



104245 STRATOSPHERE/
LINE



104246 DENIM/LINE



104247 STEEL/LINE



104248 NUBIAN/LINE



104249 BATTLESHIP/LINE



104250 STERLING/LINE



104251 HAZEL/LINE



104252 SOAPSTONE/LINE



104253 PEARL GRAY/LINE



104254 CHESTNUT/LINE



104255 AZTEC/LINE



104256 CORNSILK/LINE


Specifications

Modular, 50 cm x 50 cm	1468302500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.102 in., 2.6 mm
Pile Density	5,294
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK QUARTERTURN

Sidetrack™ Colorline




104257 STRATOSPHERE/
TRACK



104258 DENIM/TRACK



104259 STEEL/TRACK



104260 NUBIAN/TRACK



104261 BATTLESHIP/TRACK



104262 STERLING/TRACK



104263 HAZEL/TRACK



104264 SOAPSTONE/TRACK



104265 PEARL GRAY/
TRACK



104266 CHESTNUT/TRACK



104267 AZTEC/TRACK



104268 CORNSILK/TRACK

Specifications

Modular, 50 cm x 50 cm	1468402500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.102 in., 2.6 mm
Pile Density	5,294
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK QUARTZTEMPURY

Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada
1.877.605.1500 1.866.398.3192

Brazil Latin America
+ 55 11 2196 0902 + 55 11 2196 0900

www.interface.com

Register at www.interface.com to:

- Order samples
- View carpet in a variety of room scenes and even upload your own room
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into four categories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Latin American Headquarters

Edifício Igarassu
Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

CIM # IFS00647 02/2014



Mission Zero:
our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.